

LIQUID WEIGHING OF TRACTOR TIRES

Front Tractor Tires - 75% Fill

TIRE SIZE	WATER		31/2 LBS./420 G CACL2			5 LBS./600 G CACL2		
	GAL./LITERS	WEIGHT	WATER	CACL2	TOTAL WT.	WATER	CACL2	TOTAL WT.
		LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.	LBS./KG.	GAL./LITERS	LBS./KG.
4.00-12	2/8	17/7.7	1.7/7	6/2.7	20/9.1	1.6/6	8/3.6	21/9.5
4.00-15	2.5/10	21/9.5	2/8	7/3.2	24/11	2/8	10/4.5	27/12
5.00-15	4/15	33/15	3/12	10/4.5	35/16	3/12	15/6.8	40/18
5.50-16	5/19	42/19	4/15	14/6.4	47/21	4/15	20/9.1	53/24
6.00-14	6/23	50/23	5/19	18/8.2	60/27	5/19	25/11	67/30
6.00-16	6/23	50/23	5/19	18/8.2	60/27	5/19	25/11	67/30
6.50-16	7/27	58/26	6/23	21/9.5	71/32	5.5/21	28/13	74/34
7.50-10	6/23	50/23	5/19	18/8.2	60/27	4.8/18	24/11	64/29
7.5L-15	8.5/33	71/32	7/27	24/11	82/37	7/27	35/16	93/42
7.50-16	10/38	83/38	8.5/33	30/14	101/46	8/28	40/18	107/49
7.50-18	11/42	92/42	9.5/37	33/15	112/51	9/35	45/20	120/54
7.50-20	12/46	100/45	10/38	35/16	118/54	9.5/37	48/22	127/58
9.00-10	9/35	75/34	7.5/29	26/12	89/40	7.2/28	36/16	96/44
9.5L-15	11/42	92/42	9.5/37	33/15	112/51	9/35	45/20	120/54
9.50-15	18/69	150/68	16/62	56/25	189/86	15/58	75/34	200/91
9.50-20	18/69	150/68	16/62	56/25	189/86	15/58	72/33	200/91
9.50-24	20/77	167/77	17/65	60/27	202/92	16/62	80/36	213/97
10.00-16	18/69	150/68	16/62	56/25	189/86	15/58	69/31	184/84
11L-15	14/54	117/53	12/46	42/19	142/64	11/42	53/24	147/67
11L-16	15/58	123/56	13/50	46/21	155/70	12/46	60/27	160/73
11.00-15	24/92	200/91	20/77	70/32	237/108	19/73	95/43	253/115
11.00-16	25/96	208/94	22/85	77/35	260/118	20/77	93/42	267/121
14L-16.1	28/108	233/106	24/92	84/38	284/129	23/88	110/50	307/139
16.5L-16.1	41/158	342/155	35/135	122/55	414/188	33/127	167/76	440/200

Rear Tractor Tires - 75% Fill

TIRE SIZE	WATER		31/2 LBS./420 G CACL2			5 LBS./600 G CACL2		
	GAL./LITERS	WEIGHT	WATER	CACL2	TOTAL WT.	WATER	CACL2	TOTAL WT.
		LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.	LBS./KG.	GAL./LITERS	LBS./KG.
7.2-16	7/26	58/26	6/23	21/9.5	71/32	5/19	25/11	67/30
8.3-16	9/34	75/34	8/30	28/13	95/43	8/30	40/18	107/48
9.5-16	12/45	100/45	10/38	35/16	118/54	10/38	50/23	133/61
11.2-16	18/68	150/68	15/57	53/24	178/81	14/53	70/32	187/85
12.4-16	21/79	175/79	18/68	63/29	213/97	17/64	85/39	227/103
13.6-16.1	31/117	258/117	26/98	91/41	308/139	25/95	125/57	333/152
18.4-16.1	49/185	409/186	42/159	147/67	497/226	39/148	195/88	520/236
8.3-24	13/49	108/49	11/42	39/18	131/60	10/38	50/23	133/61
9.5-24	17/64	142/64	15/57	53/24	178/81	14/53	70/32	187/85
11.2-24	24/91	200/91	20/76	70/32	237/108	19/72	95/43	253/115
12.4-24	30/114	250/113	26/98	91/41	308/139	25/95	125/57	333/152
13.6-24	38/144	317/144	32/121	112/51	379/172	30/114	150/68	400/182
14.9-24	47/178	392/178	40/151	140/64	474/215	38/144	190/86	507/230
16.9-24	61/231	509/231	52/197	182/83	616/280	49/185	245/111	654/296
17.5L-24	55/208	459/208	47/178	165/75	557/253	45/170	225/102	600/272
19.5L-24	69/261	575/265	60/227	210/95	710/322	56/212	280/127	747/339
21L-24	87/329	725/329	74/280	259/117	876/397	70/265	350/159	934/424

Continues on Next Page

Rear Tractor Tires - 75% Fill

TIRE SIZE	WATER		31/2 LBS./420 G CACL2			5 LBS./600 G CACL2		
	GAL./LITERS	WEIGHT	WATER	CACL2	TOTAL WT.	WATER	CACL2	TOTAL WT.
		LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.
14.9-26	48/182	400/181	41/155	144/65	486/220	39/148	195/88	520/236
16.9-26	65/246	542/246	56/212	196/89	663/301	52/197	260/118	694/315
18.4-26	79/299	659/299	68/257	238/108	805/365	64/242	320/145	854/387
23.1-26	128/485	1068/485	109/413	328/173	1291/586	103/390	515/234	1374/624
28L-26	157/594	1309/594	134/507	469/213	1587/720	127/481	635/288	1694/769
11.2-28	27/102	225/102	24/91	84/38	284/129	22/83	110/50	293/133
12.4-28	35/132	292/132	30/114	105/48	355/162	28/106	140/64	374/170
13.6-28	43/163	359/163	37/140	130/59	439/199	35/132	175/79	467/211
14.9-28	53/201	442/201	46/174	161/73	545/247	43/163	215/98	574/261
16.9-28	69/261	575/261	59/223	207/94	699/317	56/212	280/127	747/339
18.4-28	84/318	701/318	72/273	252/114	852/387	68/257	340/154	907/412
21L-28	97/367	809/367	83/314	291/132	982/446	79/299	395/179	1054/478
14.9-30	57/216	475/216	48/182	168/76	568/258	46/174	230/104	614/278
16.9-30	73/276	609/276	63/238	221/100	746/338	59/223	292/132	787/355
18.4-30	89/337	742/337	77/291	270/123	912/414	72/273	360/163	960/436
23.1-30	143/541	1193/541	123/466	431/196	1457/662	116/439	580/263	1547/702
24.5-32	170/643	1418/643	146/553	511/232	1729/785	138/522	690/313	1841/835
30.5L-32	217/821	1809/821	186/704	651/295	2202/999	176/666	880/399	2347/1065
35.5L-32	313/1287	2609/1287	291/1101	1019/462	3446/1563	275/1041	1375/624	3669/1665
14.9-34	63/238	525/238	54/204	189/86	639/290	51/193	255/116	680/309
16.9-34	82/310	684/310	70/265	245/111	829/376	66/250	330/150	880/400
18.4-34	100/379	834/378	85/322	298/135	1007/457	81/307	405/184	1081/491
20.8-34	128/485	1068/485	109/413	328/173	1291/586	103/390	515/234	1374/624
23.1-34	159/602	1326/602	136/515	476/216	1610/731	128/485	640/290	1708/775
13.9-36	51/193	425/193	44/167	154/70	521/237	42/159	210/95	560/254
13.6-38	57/216	475/216	49/185	172/78	581/263	46/174	230/104	614/278
15.5-38	66/250	550/250	56/212	196/89	663/301	53/201	265/120	707/321
16.9-38	90/341	751/341	77/291	270/123	912/414	73/276	365/166	974/442
18.4-38	110/416	917/416	94/356	329/149	1113/505	89/337	445/202	1187/539
20.8-38	140/530	1168/530	120/454	420/191	1421/645	114/431	570/259	1521/690
18.4-42	115/435	959/435	98/371	343/156	1160/527	93/352	465/211	1240/563
20.8-42	148/560	1234/560	127/481	444/202	1503/682	120/454	600/272	1600/726
14.9-46	80/303	667/303	68/257	238/108	805/365	65/246	325/147	867/393
18.4-46	129/488	1075/488	111/420	389/176	1314/596	105/397	525/238	1400/635
20.8-46	150/568	1251/568	128/384	448/203	1515/687	121/458	605/274	1614/732
Sure Grip Loader SS								
10-16.5	12/46	97/44	10/38	35/16	119/54	10/38	50/23	134/61
12-16.5	15/58	126/57	13/50	46/21	154/70	13/50	65/30	173/78
14-17.5	22/85	185/84	19/73	67/30	227/103	18/68	90/41	240/109
15-19.5	29/112	240/109	25/96	87/39	294/133	24/91	120/54	320/145

Metric Size LSW Tires - 75% Fill

TIRE SIZE	WATER		31/2 LBS./420 G CACL2			5 LBS./600 G CACL2		
	GAL./LITERS	WEIGHT	WATER	CACL2	TOTAL WT.	WATER	CACL2	TOTAL WT.
		LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.
LSW380/65R42	44/177	367/167	30/143	132/60	449/204	36/136	178/81	477/217
LSW380/75R46	59/224	493/224	51/192	178/81	598/272	48/181	240/109	638/290
LSW380/70R50	65/247	544/247	56/211	196/89	660/300	53/200	264/120	704/320
LSW420/75R34	62/235	517/235	58/219	187/85	629/286	50/190	251/114	671/305
LSW420/75R38	69/263	578/262	60/225	207/94	702/319	56/213	282/128	702/319
LSW480/60R38	69/263	573/260	59/223	205/93	693/315	56/210	277/126	739/336

Continues on Next Page

Metric Size LSW Tires - 75% Fill

TIRE SIZE	WATER		3 1/2 LBS./420 G CACL2			5 LBS./600 G CACL2		
	GAL./LITERS	WEIGHT	WATER	CACL2	TOTAL WT.	WATER	CACL2	TOTAL WT.
		LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.	LBS./KG.	GAL./LITERS	LBS./KG.
LSW480/70R54	106/400	879/399	91/343	317/144	1067/485	86/325	427/194	1137/517
LSW520/75R46	121/451	1010/458	104/394	363/165	1228/558	99/373	491/223	1309/595
LSW520/75R50	130/492	1080/491	112/422	389/177	1316/598	105/399	526/239	1401/637
LSW580/70R38	127/479	1052/478	109/411	378/172	1280/582	103/389	513/233	1366/621
LSW580/75R46	162/618	1346/612	139/525	484/220	1639/745	131/497	656/298	1746/794
LSW600/55R32	84/318	697/317	58/217	251/114	847/385	68/257	339/154	904/411
LSW600/60R34	101/381	836/380	86/327	301/137	1019/463	82/310	407/185	1087/494
LSW650/60R42	142/537	1179/536	133/501	425/193	1437/653	115/436	574/261	1531/696
LSW650/70R46	191/720	1582/719	163/617	570/259	1925/875	163/617	770/350	2053/933
LSW680/55R42	149/565	1241/564	128/484	447/203	1509/686	121/458	603/274	1610/732
LSW710/60R30	136/514	1131/514	117/442	407/185	1377/626	111/418	550/250	1467/667
LSW710/60R46	188/712	1564/711	161/610	563/256	1903/865	153/577	761/346	2028/922
LSW710/70R46	237/897	1971/896	203/769	711/323	2400/109	193/128	959/436	2559/1163
LSW750/55R30	153/577	1267/576	131/495	455/207	1542/701	124/467	616/280	1643/747
LSW750/60R30	163/616	1353/615	140/528	486/221	1648/749	132/500	658/299	1756/798
LSW800/50R42	182/685	1507/685	156/588	541/246	1833/833	147/556	733/333	1953/888
LSW800/55R46	224/845	1855/843	192/724	669/304	2260/1027	181/685	902/410	2407/1094
LSW800/65R46	290/1096	2407/1084	246/931	858/390	2902/1319	233/880	1159/527	3095/1407
LSW850/55R30	196/739	1624/738	168/633	585/266	1975/898	158/599	790/359	2105/937
LSW850/75R42	358/1352	2968/1349	306/1158	1067/485	3282/1641	2901/1094	1443/656	3850/1750
LSW900/50R42	254/961	2110/959	218/824	759/345	2567/1167	206/780	1027/467	2737/1244
LSW900/50R46	265/1003	2202/1001	227/860	792/360	2680/1218	217/820	1071/487	2858/1299
LSW900/60R42	325/1230	2701/1228	279/1055	928/422	3289/1495	264/998	1325/598	3507/1594
LSW1000/40R32	183/690	1516/689	157/592	546/248	1846/839	148/560	737/325	1969/895
LSW1100/35R32	191/721	1584/720	164/618	570/259	1929/877	155/586	772/351	2057/935
LSW1100/45R46	370/1397	3069/1394	317/1197	1104/502	3733/697	300/1133	1492/678	3980/1809
LSW1250/35R46	345/1304	2862/1301	296/1117	1030/468	3483/1583	280/1057	1393/633	3714/1688
LSW1400/30R46	363/1374	3016/1371	311/1175	1086/494	3671/1669	295/1114	3914/667	3914/1779

Metric Size Tires - 75% Fill

TIRE SIZE	WATER		3 1/2 LBS./420 G CACL2			5 LBS./600 G CACL2		
	GAL./LITERS	WEIGHT	WATER	CACL2	TOTAL WT.	WATER	CACL2	TOTAL WT.
		LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.	LBS./KG.	GAL./LITERS	LBS./KG.
240/70R16	8/29	65/29	7/26	25/11	83/38	6/23	30/14	80/36
250/80R16	12/46	101/46	10/38	35/16	118/54	10/38	50/23	133/60
250/80R18	13/49	108/49	11/42	39/17	130/59	11/42	55/25	147/67
250/95R34	24/90	197/90	20/76	70/32	237/107	19/72	95/43	253/115
250/95R50	32/119	263/119	27/102	95/43	320/145	26/98	130/59	347/157
260/70R16	10/37	81/37	8/30	28/13	95/43	8/30	40/18	107/48
260/80R20	15/57	126/57	13/49	46/21	154/70	12/45	60/27	160/73
290/95R34	34/130	287/130	29/110	102/46	343/156	28/106	140/64	373/169
290/90R38	34/129	283/129	29/110	102/46	343/156	28/106	140/64	373/169
320/70R24	23/87	192/87	20/76	70/32	237/107	19/72	95/43	253/115
320/75R24	25/95	210/95	22/83	77/35	260/118	20/76	100/45	267/121
320/85R34	38/144	316/144	33/125	116/52	391/177	31/117	155/70	413/188

Continues on Next Page

Metric Size Tires - 75% Fill

TIRE SIZE	WATER		31/2 LBS./420 G CACL2			5 LBS./600 G CACL2		
	GAL./LITERS	WEIGHT	WATER	CACL2	TOTAL WT.	WATER	CACL2	TOTAL WT.
		LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.
320/85R38	37/142	312/142	32/121	112/51	379/172	30/114	150/68	400/181
320/80R42	40/153	336/153	35/132	123/56	414/188	33/125	165/75	440/200
320/90R42	49/186	409/186	42/159	147/67	497/226	40/151	200/91	533/242
320/90R46	52/195	430/195	44/167	154/70	521/236	42/159	210/95	560/254
320/90R50	55/210	462/210	47/178	165/75	556/252	45/170	225/102	600/272
320/90R54	56/210	463/210	48/182	168/76	568/258	45/170	225/102	600/272
340/80R18	27/101	223/101	23/87	81/37	272/123	22/83	110/50	293/133
340/85R46	57/214	472/214	49/185	172/78	580/263	46/174	230/104	614/278
380/70R20	31/117	258/117	27/102	95/43	320/145	25/95	125/57	333/151
380/70R24	36/136	299/136	31/117	109/49	367/166	29/110	145/66	387/175
380/70R28	41/155	342/155	35/132	123/56	414/188	33/125	165/75	440/200
380/85R28	50/188	414/188	43/163	151/68	509/231	40/151	200/91	533/242
380/85R30	54/205	452/205	46/174	161/73	545/247	44/167	220/100	587/266
380/85R34	56/213	470/213	48/182	168/76	568/258	46/174	230/104	614/278
380/80R38	56/212	468/212	48/182	168/76	568/258	46/174	230/104	614/278
380/90R46	76/287	631/287	65/246	228/103	769/349	61/231	305/138	814/369
380/90R50	79/300	660/300	68/257	238/108	805/365	64/242	320/145	854/387
380/90R54	84/319	702/319	72/273	252/114	852/387	68/257	340/154	907/411
385/85R34MPT	60/226	497/226	51/193	179/81	604/274	48/182	240/109	640/290
420/70R24	47/176	388/176	40/151	140/64	473/215	38/144	190/86	507/230
420/70R28	53/200	441/200	45/170	158/71	533/242	43/163	215/98	573/260
420/80R46	86/325	715/325	74/280	259/117	876/397	70/265	350/159	934/423
420/85R28	66/249	549/249	56/212	196/89	663/301	53/201	265/120	707/321
420/90R30	72/274	604/274	62/235	217/98	734/333	59/223	295/134	787/357
480/70R28	71/268	590/268	61/231	214/97	722/328	57/216	285/129	760/345
480/70R30	75/284	625/284	64/242	224/102	758/344	61/231	305/138	814/369
480/70R34	83/314	691/314	71/269	249/113	840/381	67/254	335/152	894/405
480/80R38	105/397	875/397	90/341	315/143	1065/483	85/322	425/193	1134/514
480/80R42	113/427	941/427	97/367	340/154	1148/521	92/348	460/209	1227/557
480/80R46	119/451	993/451	102/386	357/162	1207/548	97/367	485/220	1294/587
480/80R50	125/474	1044/474	107/405	375/170	1267/575	102/386	510/231	1360/617
480/85R34	99/376	829/376	85/322	298/135	1006/456	81/307	405/184	1080/490
VA500/95D32	138/521	1147/521	118/447	413/187	1397/634	112/424	560/254	1494/678
520/85R38	133/504	1111/504	114/431	399/181	1349/612	108/409	540/245	1440/653
520/85R42	142/537	1183/537	122/462	427/194	1444/655	115/435	575/261	1534/696
520/85R46	153/580	1278/580	131/496	459/208	1551/703	124/469	620/281	1654/750
540/65R30	80/304	671/304	69/261	242/110	817/370	65/246	325/147	867/393
580/70R38	142/536	1181/536	121/458	424/192	1432/650	115/435	575/261	1534/696
600/65R28	99/374	824/374	85/322	298/135	1006/456	80/303	400/181	1067/484
600/70R28	117/442	979/445	89/336	446/202	1191/541	95/358	475/216	1266/575
620/75R26	125/475	1046/475	108/409	378/171	1278/580	102/386	510/231	1360/617
620/70R42	169/641	1412/641	145/549	508/230	1716/779	137/519	685/311	1827/829
620/70R46	183/692	1523/692	157/594	550/249	1858/843	148/560	740/336	1974/895
650/75R32	162/613	1350/613	139/526	487/221	1645/746	131/496	655/297	1747/793
650/75R34	185/699	1539/699	158/598	553/251	1870/848	150/568	750/340	2001/907
650/85R38	229/865	1905/865	196/742	686/311	2320/1052	185/700	925/420	2467/1119
650/65R42	164/619	1364/619	140/530	490/222	1657/752	133/503	665/302	1774/805

Continues on Next Page

Metric Size Tires - 75% Fill

TIRE SIZE	WATER		31/2 LBS./420 G CACL2			5 LBS./600 G CACL2		
	GAL./LITERS	WEIGHT	WATER	CACL2	TOTAL WT.	WATER	CACL2	TOTAL WT.
		LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.	LBS./KG.	GAL./LITERS	LBS./KG.
710/70R38	201/763	1680/763	173/655	606/275	2048/929	163/617	815/370	2174/986
710/70R42	228/863	1901/863	195/738	683/310	2308/1047	185/700	925/420	2467/1119
750/65R26	168/635	1398/635	144/545	504/229	1705/773	136/515	680/308	1814/823
800/65R32	202/766	1687/766	173/655	606/275	2048/929	164/621	820/372	2187/992
800/70R38	265/1002	2208/1002	227/859	795/360	2687/1219	215/814	1075/488	2867/1301
900/50R42	235/888	1956/888	201/761	704/319	2379/1079	190/719	950/431	2534/1149
900/60R32	270/1022	2252/1022	231/874	809/367	2734/1240	219/829	1095/497	2921/1325
900/65R32	289/1096	2413/1096	248/939	868/394	2936/1332	235/889	1175/533	3134/1422

Terra-Tires - 75% Fill

TIRE SIZE	WATER		31/2 LBS./420 G CACL2			5 LBS./600 G CACL2		
	GAL./LITERS	WEIGHT	WATER	CACL2	TOTAL WT.	WATER	CACL2	TOTAL WT.
		LBS./KG.	GAL./LITERS	LBS./KG.	LBS./KG.	LBS./KG.	GAL./LITERS	LBS./KG.
23x8.50-12 NHS	6/23	50/23	5/19	18/8	60/27	5/19	25/11	67/30
23x10.50-12 NHS	7/26	58/26	5/19	21/10	71/32	6/23	30/14	80/36
26x12.00-12 NHS	10/38	83/38	9/34	31/14	106/48	8/30	40/18	107/49
25x8.50-14 NHS	7/26	58/26	6/23	21/10	71/32	6/23	30/14	80/36
25x7.50-15 NHS	6/23	50/23	5/19	18/8	60/27	5/19	25/11	67/30
25x10.50-15 NHS	7/26	58/26	6/23	21/10	71/32	6/23	30/14	80/36
25x12.50-15 NHS	8/30	67/30	7/26	25/11	83/38	7/26	35/16	93/42
27x8.50-15 NHS	7/26	58/26	6/23	21/10	71/32	6/23	30/14	80/36
27x9.50-15 NHS	9/34	75/34	8/30	28/13	94/43	7/26	35/16	93/42
27x10.50-15 NHS	10/38	83/38	9/34	32/15	106/48	8/30	40/18	107/49
29x12.50-15 NHS	14/53	116/53	12/45	42/19	142/64	11/42	55/25	146/66
31x12.50-15 NHS	18/68	149/68	15/57	52/24	177/80	14/53	70/32	186/84
31x13.50-15 NHS	19/72	158/72	16/61	56/25	189/86	18/68	75/34	200/91
31x15.50-15 NHS	20/76	166/75	17/64	60/27	201/91	16/61	80/36	213/97
33x12.50-15 NHS	22/83	183/83	19/72	66/30	224/102	18/68	90/41	239/108
36x13.50-15 NHS	30/114	250/113	26/98	91/41	308/140	24/91	120/54	320/145
38x20.0016.1 NHS	42/159	349/158	36/136	126/57	425/193	34/129	170/77	452/205
38x14.00-20 NHS	30/114	249/113	26/98	91/41	307/139	24/91	120/54	320/145
41x14.00-20 NHS	32/121	267/121	27/102	95/43	320/145	26/98	130/59	347/157
42x25.00-20 NHS	66/250	548/249	57/216	200/91	673/305	53/201	265/120	705/320
43x16.00-20 NHS	52/196	431/195	41/154	150/68	490/223	38/143	200/91	515/234
44x18.00-20 NHS	56/212	476/216	48/182	168/76	566/257	45/170	225/102	548/249
44x41.00-20 NHS	110/416	913/414	94/356	329/149	1109/503	88/333	440/200	1170/531
48x25.00-20 NHS	92/348	764/347	79/299	277/126	933/423	74/280	370/168	984/446
48x31.00-20 NHS	125/473	1038/471	107/405	375/170	1263/573	100/378	500/227	1330/603
48x20.00-24 NHS	54/204	450/204	46/174	161/73	545/247	43/163	215/98	573/260
54x31.00-26 NHS	117/443	975/442	100/378	350/159	1184/537	95/360	475/215	1267/575
66x43.00-25 NHS	327/1238	2714/1231	280/1060	980/445	3304/1499	263/995	1315/596	3498/1587
66x44.00-25 NHS	347/1313	2880/1306	298/1128	1043/473	3516/1595	279/1056	1395/633	3711/1683
67x34.00-25 NHS	224/848	1859/843	192/727	672/305	2266/1028	180/681	900/408	2394/1086
67x34.00-26 NHS	220/833	1826/828	188/712	659/299	2220/1007	176/666	882/400	2343/1063
67x34.00-30 NHS	202/765	1677/761	173/655	606/275	2041/926	162/613	810/367	2155/978
73x44.00-32 NHS	372/1408	3088/1401	318/1204	1113/505	3895/1767	299/1132	1495/678	3977/1804